

Form IV
(See Rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier health care facility(HCF), or common bio-medical waste treatment facility (CBWTF)]

Return No : 129265

Period : 2019-2020

1. Particulars of the Occupier	
(i) Name of the authorized person (Occupier or operator of facility):	Rakesh Binaykia
(ii) Name of HCF or CBMWTF:	Health Point Hospital
(iii) Address for Correspondence:	21 & 21/1 Prannath pandit street
(iv) Address of Facility:	21 & 21/1 Prannath pandit street
(v) Tel. No.:	9830048163
(vi) Fax. No.:	-
(vii) E-mail ID:	qualityhpkol@gmail.com
(viii) URL of Website:	
(ix) GPS coordinates of HCF of CBMWTF:	
(x) Ownership of HCF or CBMWTF:	Any Other
(xi) Status of Authorization under the BMW (Management and Handling) Rules:	Authorization No.: 167-25(BM)-2285/2007 Valid Upto: 30/04/2021
(xii) Status of Consents under Water Act and Air Act.:	Valid Upto:
2. Type of Health Care Facility	
HCF/CBMWTF Type:	HCF
(i) No. of Beds(for Bedded Hospital):	100.0
(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other):	
(iii) Licence Number:	34216075
(iv) Licence date of expiry:	07/12/2021
3. Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow Category: 4639 Red Category: 3711 White Category: 50 Blue Category: 1257 General Solid Waste: 5100
4. Details of the Storage, Treatment, Transportation, Processing and Disposal Facility Details	
(i) Details of the on-site storage facility:	Size: 30.24 Capacity: 2709.67 Provision of on-site storage: NA

HEALTH POINT
MULTI SPECIALITY HOSPITAL
21 Prannath Pandit St.
Kolkata - 700 025

Health Point Hospital, 21 & 21/1 Prannath pandit street,

L. Chakraverty

Page 1

(ii) Disposal Facility:	Type of Treatment Equipment	Number of Units	Capacity(Kg/day)	Quantity Treated or Disposed(Kg/annum)						
	Incinerators	0	0	0						
	Plasma Paralysis	0	0	0						
	Autoclaves	0	0	0						
	Microwave	0	0	0						
	Hydroclav e	0	0	0						
	Shredder	0	0	0						
	Needle tip cutter or destroyer	6	100gms	36.500						
	Sharps encapsulation or concrete pit	0	0	0						
	Deep burial pit	0	0	0						
	Chemical Disinfection	0	0	0						
	NONE	0	0	0						
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum:	0.0									
(iv) No of vehicles used for collection and transportation of BMW:	0									
(v) Details of incineration, ash and ETP sludge generated, disposal during the treatment of wastes in Kg per annum	<table border="1"> <tr> <td>Type of waste</td> <td>Quantity Generated</td> <td>Where disposal</td> </tr> <tr> <td colspan="3">List is Empty</td> </tr> </table>				Type of waste	Quantity Generated	Where disposal	List is Empty		
Type of waste	Quantity Generated	Where disposal								
List is Empty										
(vi) Name of the Common BMW Treatment Facility Operator through which wastes are disposed of:	Green tech Environ Management Pvt.Ltd.									
5. Do you have BMW management committee:	no									
6. Training Conducted on BMW Details										
(i) Number of training conducted on BMW Management:	3									
(ii) Number of personnel trained:	20									
(iii) Number of personnel trained at the time of induction:	0									
(iv) Number of personnel not undergone any training so far:	0									
(v) Whether standard manual for training is available:	yes									
(vi) Any other information:	Health Point Hospital is a trust run healthcare facility									
7. Details of the accident occurred										
(i) No. of accident occurred:	0									
(ii) Number of the persons affected:	0									
(iii) Remedial Action taken:	NA									
(iv) Any Fatality occurred, details:	NA									

8. Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?:	NA
Details of Continuous online emission monitoring systems installed:	NA
9. Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year:	NA
10. Is the disinfection method or sterilization meeting the log for standards? How many times you have not met the standards in a year?:	NA
11. Any other relevant information:	NONE

Date :06/07/2020

Place : Kolkata


 Name and Signature of the Head of the Institution
HEALTH POINT
MULTI SPECIALITY HOSPITAL
 21 Prannath Pandit St.
 Kolkata - 700 025